

OR-003b — Unclassified Environment Operations

[Go to OR-003 — Classified and Unclassified Environments](#)

Statement

[Crucible](#) SHALL execute each selected [Operational Lifecycle](#) activity within an [Unclassified Environment](#).

Derived From

This requirement derives from:

- [OR-003 — Classified and Unclassified Environments](#)
- Crucible System Requirements Specification, Version 1.1 Draft, Operational Requirements, OR-003

The Original Requirement states:

The system SHALL support classified and unclassified deployment environments.[\[C1\]](#)

OR-003b isolates the obligation to execute selected Operational Lifecycle activities within an Unclassified Environment from the separate obligation to execute those activities within a Classified Environment.

Rationale

An [Unclassified Environment](#) is not authorized to process classified information but can still impose security, privacy, regulatory, contractual, export-control, information-handling, and operational constraints.

OR-003b requires [Crucible](#) to execute selected [Operational Lifecycle](#) activities within the unclassified operating context rather than treating unclassified operation as unrestricted operation.

Applies To

This requirement applies to:

- [Crucible](#)
- [Unclassified Environments](#)

- [Operational Lifecycles](#)

Verification

Verification confirms that:

1. The tested environment is an [Unclassified Environment](#)
2. The selected [Operational Lifecycle](#) activities are identified before execution
3. [Crucible](#) initiates each selected Operational Lifecycle activity within the Unclassified Environment
4. Crucible completes each selected Operational Lifecycle activity whose initiation and execution conditions are satisfied
5. Crucible records the result of each selected Operational Lifecycle activity
6. Crucible records each selected Operational Lifecycle activity that it rejects, blocks, or terminates
7. Each activity record identifies the Unclassified Environment in which execution occurred
8. Each activity record preserves [Auditability](#), [Provenance](#), and [Traceability](#)

Referenced By

The following pages reference this requirement:

- [3.3 Security Domains and Transfer Boundaries](#)
- [Annex D: Requirements Traceability](#)

Delivery Phase

Implemented and Verified.

Implementation Status

☐ Assess whether the current Crucible implementation executes the selected Operational Lifecycle activities within an Unclassified Environment.

Requirement Status

☐ Review and approve OR-003b as a leaf requirement derived from OR-003.

Issues

- ☐ Define the Operational Lifecycle activities that Crucible must execute within each supported Unclassified Environment.
 - ☐ Define the conditions for initiating, completing, rejecting, blocking, or terminating each selected Operational Lifecycle activity.
 - ☐ Define the records and Evidence required for each selected Operational Lifecycle activity.
 - ☐ Define the acceptance criteria for successful execution within each supported Unclassified Environment.
-

Notes for Editors

This requirement page should retain the stable requirement identifier OR-003b.

This page is a leaf requirement page and omits a trailing :start from its namespace.

OR-003b addresses execution of selected Operational Lifecycle activities within an Unclassified Environment.

Separate child requirements address:

- Classified Environment operations
- Security Domain enforcement
- Information Handling Rule enforcement
- Cross-Domain Transfer control
- Security Domain access control

Changes to the Statement should preserve:

- [Crucible](#) as the responsible actor
- Execution as the required behavior
- Each selected Operational Lifecycle activity as the subject of execution
- An Unclassified Environment as the operating context

To reference this requirement Statement from another wiki page, insert:

```
{{section>dido:02-crucible:99-annexes:annex-c-requirements:02-operational-requirements:or-003:or-003b#Statement&noheader&nofooter&noeditbtn}}
```

Do not rename this page after an external citation unless a redirect or move plan is in place.

From:

<https://wiki.didosolutions.com/> - **Dido Solutions, Inc Wiki**

Permanent link:

<https://wiki.didosolutions.com/dido/02-crusible/99-annexes/annex-c-requirements/02-operational-requirements/or-003/or-003b>

Last update: **2026/07/30 05:33**

