

Annex D: Requirements Traceability

[Go to Crucible](#)

Annex D maps the canonical leaf requirements in [Annex C: Requirements](#) to the Crucible pages that reference them.

Annex C remains the canonical source for requirement titles, Statements, rationale, and verification information. Annex D provides traceability links and coverage information without restating or redefining the requirements.

Requirements Traceability Index

The Requirements Traceability Index lists the canonical leaf requirements alphabetically by title.

The **Requirement Title** column links to the canonical requirement page. The **Referenced By** column identifies the Crucible pages that link to that requirement.

A requirement with no references requires review to determine whether:

- The requirement lacks ConOps coverage
- The requirement belongs outside the ConOps
- The requirement represents a future capability
- The requirement page or backlink is incomplete
- The requirement requires an additional operational page

Requirement Title	Referenced By
FR-COMP-009c — Authorization to Operate Evidence	• 5.4 Assess Compliance • 5.7 Preserve Evidence and Lifecycle Records • 6.1 Construct and Assess the Environment • 8.4 Generate Supporting Evidence • Annex D: Requirements Traceability
FR-BAS-001 — Consume Baseline Repositories from a Workspace	• 5.1 Select and Compose Baselines • Annex D: Requirements Traceability
FR-BAS-002 — Compose Selected Baselines	• 5.1 Select and Compose Baselines • Annex D: Requirements Traceability
FR-BAS-003 — Process Predeployment and Postdeployment Steps	• 5.1 Select and Compose Baselines • Annex D: Requirements Traceability

Requirement Title	Referenced By
FR-BAS-004 — Perform Noninteractive Workspace Execution	5.1 Select and Compose Baselines - Annex D: Requirements Traceability
OR-003a — Classified Environment Operations	3.3 Security Domains and Transfer Boundaries - Annex D: Requirements Traceability
FR-UI-002 — Command-Line Interface	9.2 Command-Line Interface - C.3.11 Crucible Interfaces - Annex D: Requirements Traceability
FR-COMP-001 — Compliance Baseline Definitions	5.4 Assess Compliance 6.1 Construct and Assess the Environment 8.1 Select Compliance Criteria and Baselines - Annex D: Requirements Traceability
FR-COMP-004 — Compliance Evidence Artifacts	5.4 Assess Compliance 6.1 Construct and Assess the Environment 8.4 Generate Supporting Evidence - Annex D: Requirements Traceability
FR-COMP-010a — Compliance Finding Transfer Bundle Inclusion	5.4 Assess Compliance 5.7 Preserve Evidence and Lifecycle Records 6.1 Construct and Assess the Environment 7.2 Produce the Transfer Bundle 8.5 Transfer Compliance Findings - Annex D: Requirements Traceability

Requirement Title	Referenced By
FR-COMP-010b — Compliance Finding Association Preservation	• 5.4 Assess Compliance • 5.7 Preserve Evidence and Lifecycle Records • 6.1 Construct and Assess the Environment • 7.7 Preserve Traceability Across Environments • 8.5 Transfer Compliance Findings • Annex D: Requirements Traceability
FR-COMP-003 — Compliance Reporting	• 5.4 Assess Compliance • 6.1 Construct and Assess the Environment • 8.3 Produce Compliance Reports • Annex D: Requirements Traceability
FR-COMP-008a — Compliance Scanning Abstraction	• 5.4 Assess Compliance • 6.1 Construct and Assess the Environment • 8.2 Perform Compliance Assessments • Annex D: Requirements Traceability
FR-COMP-002 — Compliance Scanning Tool Integration	• 5.4 Assess Compliance • 6.1 Construct and Assess the Environment • 8.2 Perform Compliance Assessments • Annex D: Requirements Traceability
FR-IMG-002 — Build Container Images	• 5.2 Construct Images • 6.1 Construct and Assess the Environment • 7.6 Rebuild and Deploy • Annex D: Requirements Traceability
OR-003f — Cross-Domain Transfer Control	• 3.3 Security Domains and Transfer Boundaries • 4.1 Human Actors • 7.3 Transfer Across the Boundary • 7.4 Import the Transfer Bundle • Annex D: Requirements Traceability

Requirement Title	Referenced By
FR-COMP-007 — Custom Compliance Frameworks	• 5.4 Assess Compliance • 6.1 Construct and Assess the Environment • 8.1 Select Compliance Criteria and Baselines • Annex D: Requirements Traceability
FR-DEPC-001 — Capture Build Dependencies	• 5.3 Capture and Preserve Dependencies • 7.1 Capture and Preserve Dependencies • Annex D: Requirements Traceability
FR-DEPC-002 — Preserve Dependencies in a Dependency Store	• 5.3 Capture and Preserve Dependencies • 7.1 Capture and Preserve Dependencies • Annex D: Requirements Traceability
FR-DEPC-005 — Dependency Store Implementation Independence	• 5.3 Capture and Preserve Dependencies • 7.1 Capture and Preserve Dependencies • Annex D: Requirements Traceability
FR-DEP-001 — Deploy Infrastructure Resources	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • 7.6 Rebuild and Deploy • Annex D: Requirements Traceability
FR-DEP-004 — Deploy Containerized Workloads	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • 7.6 Rebuild and Deploy • Annex D: Requirements Traceability

Requirement Title	Referenced By
FR-DEP-003 — Deploy Kubernetes Clusters	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • 7.6 Rebuild and Deploy • Annex D: Requirements Traceability
FR-DEP-005 — Deploy Platform Services	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • 7.6 Rebuild and Deploy • Annex D: Requirements Traceability
FR-DEP-002 — Deploy Virtual Machines	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • 7.6 Rebuild and Deploy • Annex D: Requirements Traceability
FR-DEP-007 — Deployment Validation	• 5.6 Validate the Result • Annex D: Requirements Traceability
FR-COMP-005 — DISA STIG Compliance Baselines	• 5.4 Assess Compliance • 6.1 Construct and Assess the Environment • 8.1 Select Compliance Criteria and Baselines • Annex D: Requirements Traceability
FR-MC-005 — Edge Deployments	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • Annex D: Requirements Traceability

Requirement Title	Referenced By
FR-COMP-006 — FedRAMP Baseline Definitions	5.4 Assess Compliance 6.1 Construct and Assess the Environment 8.1 Select Compliance Criteria and Baselines - Annex D: Requirements Traceability
FR-MC-004 — Hybrid-Cloud Deployments	3.2 Deployment Environments 5.5 Deploy the Environment 6.2 Deploy in a Connected Environment - Annex D: Requirements Traceability
FR-IMG-006 — Image Promotion Workflows	5.2 Construct Images 6.1 Construct and Assess the Environment - Annex D: Requirements Traceability
FR-IMG-004 — Image Signing	5.2 Construct Images 6.1 Construct and Assess the Environment - Annex D: Requirements Traceability
FR-IMG-005 — Image Verification	5.2 Construct Images 6.1 Construct and Assess the Environment - Annex D: Requirements Traceability
FR-IMG-003 — Immutable Infrastructure Workflows	5.2 Construct Images 6.1 Construct and Assess the Environment - Annex D: Requirements Traceability
OR-003e — Information Handling Rule Enforcement	3.3 Security Domains and Transfer Boundaries 4.1 Human Actors 7.3 Transfer Across the Boundary 7.4 Import the Transfer Bundle - Annex D: Requirements Traceability

Requirement Title	Referenced By
FR-COMP-008b — Multiple Operating-System Support	• 5.4 Assess Compliance • 6.1 Construct and Assess the Environment • 8.2 Perform Compliance Assessments • Annex D: Requirements Traceability
FR-DEPC-004 — Populate Offline Repositories	• 5.3 Capture and Preserve Dependencies • 7.5 Populate Offline Repositories • 7.6 Rebuild and Deploy • Annex D: Requirements Traceability
FR-MC-001 — Cloud Provider Abstraction	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • Annex D: Requirements Traceability
FR-MC-003 — Deployment Portability Across Cloud Providers	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • Annex D: Requirements Traceability
FR-MC-002 — Provider-Specific Extensions	• 3.2 Deployment Environments • 5.5 Deploy the Environment • 6.2 Deploy in a Connected Environment • Annex D: Requirements Traceability
FR-COMP-009b — Risk Management Framework Evidence	• 5.4 Assess Compliance • 5.7 Preserve Evidence and Lifecycle Records • 6.1 Construct and Assess the Environment • 8.4 Generate Supporting Evidence • Annex D: Requirements Traceability

Requirement Title	Referenced By
OR-003g — Security Domain Access Control	• 3.3 Security Domains and Transfer Boundaries • 4.1 Human Actors • 4.3 External Systems • Annex D: Requirements Traceability
OR-003d — Security Domain Information Enforcement	• 3.3 Security Domains and Transfer Boundaries • 4.1 Human Actors • 4.3 External Systems • 7.3 Transfer Across the Boundary • 7.4 Import the Transfer Bundle • Annex D: Requirements Traceability
OR-003c — Security Domain Resource Enforcement	• 3.3 Security Domains and Transfer Boundaries • 4.1 Human Actors • 4.3 External Systems • Annex D: Requirements Traceability
FR-COMP-009a — Security Control Traceability Matrix Evidence	• 5.4 Assess Compliance • 5.7 Preserve Evidence and Lifecycle Records • 6.1 Construct and Assess the Environment • 8.4 Generate Supporting Evidence • Annex D: Requirements Traceability
FR-UI-001 — Shared Interface Operations	• 9.1 Shared Interface Operations • C.3.11 Crucible Interfaces • Annex D: Requirements Traceability
FR-DEPC-003 — Produce a Transfer Bundle	• 5.3 Capture and Preserve Dependencies • 7.2 Produce the Transfer Bundle • Annex D: Requirements Traceability

Requirement Title	Referenced By
OR-003b — Unclassified Environment Operations	• 3.3 Security Domains and Transfer Boundaries • Annex D: Requirements Traceability
FR-IMG-001 — Build Virtual Machine Images	• 5.2 Construct Images • 6.1 Construct and Assess the Environment • 7.6 Rebuild and Deploy • Annex D: Requirements Traceability
FR-UI-003 — Web-Based User Interface	• 9.3 Web-Based User Interface • C.3.11 Crucible Interfaces • Annex D: Requirements Traceability

Notes for Editors

- Each requirement title is displayed from the canonical requirement page
- Do not add custom display text to requirement links
- Confirm the canonical page title and namespace for each requirement
- Add every remaining Annex C leaf requirement
- Exclude true parent requirements that contain child requirements
- Retain start for leaf requirements implemented as namespace index pages
- Sort the completed table alphabetically by the displayed canonical page title
- Treat a requirement with no returned backlinks as requiring coverage review

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

Notes for Editors

- Confirm each displayed title against the canonical requirement page
- Add every remaining Annex C leaf requirement
- Exclude parent requirements that contain child requirements
- Retain start for leaf requirements implemented as namespace index pages
- Sort the final table alphabetically by canonical displayed title
- A requirement with no returned backlinks requires coverage review

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

Contents

- [D.1 Mission Objective Traceability](#)
- [D.2 Operational Requirement Traceability](#)
- [D.3 Functional Requirement Traceability](#)
- [D.4 Cross-Cutting Requirement Traceability](#)
- [D.5 Requirements Coverage Summary](#)
- [D.6 Uncovered and Partially Covered Requirements](#)

Traceability Rules

The traceability information follows these rules:

- Include only canonical leaf requirements
- Treat a requirement implemented as a namespace start page as a leaf when it has no child requirements
- Exclude parent requirements that have leaf children
- Link each requirement title to its canonical Annex C page
- Sort the Requirements Traceability Index alphabetically by displayed title
- Identify every Crucible page that directly references the requirement
- Do not copy or paraphrase the canonical requirement Statement
- Record requirements without references as uncovered until reviewed
- Record ConOps pages without supporting requirements as unsupported until reviewed

Coverage Status

Detailed traceability pages can use the following coverage statuses:

Status	Meaning
Complete	The referenced Crucible content provides operational coverage consistent with the requirement Statement
Partial	The referenced content addresses only part of the requirement Statement
Not Covered	No current Crucible page provides identifiable coverage
Outside ConOps Scope	The requirement applies to another specification, design, implementation, verification, or governance artifact
Future Capability	The requirement applies to a capability outside the current operational baseline
Review Required	The available requirement or coverage information is insufficient to determine the appropriate status

Relationship to Annex E

[Annex E: Issues](#) records problems discovered during traceability review.

Examples include:

- A requirement without operational coverage
- A ConOps capability without a supporting requirement
- A requirement that requires further decomposition
- An ambiguous or incomplete requirement Statement
- An incorrect parent or leaf classification
- A missing requirement page
- An inconsistent requirement namespace or title
- A proposed future capability

Annex D records the traceability condition. Annex E records the issue and its resolution status.

Notes for Editors

Populate the Requirements Traceability Index only after confirming the complete Annex C leaf-requirement inventory.

Do not list true parent requirements when their leaf children provide the normative Statements.

Where a leaf requirement uses a namespace start page for numerical ordering, link to the actual start page.

The **Referenced By** column should derive from direct links to the canonical requirement page wherever the available DokuWiki backlink mechanism permits dynamic generation.

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - **Dido Solutions, Inc Wiki**

Permanent link:
<https://wiki.didosolutions.com/dido/02-crusible/99-annexes/annex-d-requirements-traceability/start?rev=1785616971>

Last update: **2026/08/01 13:42**

