

ENV-003a — Apply Required Baseline

[Go to ENV-003 — Establish Controlled Starting State](#)

Statement

Before each [Test Execution](#), the [DIDO-TE](#) SHALL apply the required [Baseline](#) to the applicable [Test Environment](#).

Derived From

- [ENV-003 — Establish Controlled Starting State](#)
- [\[DTE5\] DIDO-TE Requirements Register](#), source requirement identifier and obligation to be assigned
- [\[DTE6\] Structured Information Processing Reference Architecture \(SIP-RA\)](#)
- [\[DTE7\] Federated Data Interpretation Systems Reference Architecture \(FDIS-RA\)](#)

Rationale

Applying the required [Baseline](#) establishes the controlled collection and state of the artifacts, components, dependencies, data, services, and supporting resources required for a [Test Execution](#).

The applied Baseline provides a defined reference against which the instantiated [Test Environment](#) and resulting [Test Results](#) are assessed.

Applying the same required Baseline across repeated Test Executions supports [Reproducibility](#), [Comparability](#), and [Traceability](#).

Applies To

- [Test Environment](#)
- [Test Definition](#)
- [Test Execution](#)
- [Baseline](#)
- [Test Object](#)
- [Node](#)
- [Test Resource](#)

Verification

Verification confirms that:

- The controlled descriptive information identifies the required Baseline for the Test Environment.
- The DIDO-TE applies the required Baseline before each Test Execution.
- The applied Baseline identifies each applicable artifact, component, dependency, data set, service, and Test Resource.
- Each element of the instantiated Test Environment corresponds to the required Baseline.
- The DIDO-TE records the identity and version of the applied Baseline.
- The DIDO-TE maintains [Traceability](#) among the required Baseline, its constituent elements, the Test Environment, and the applicable Test Execution.
- A missing, incorrect, superseded, incomplete, or untraceable Baseline constitutes nonconformance with this requirement.

Verification includes:

- Inspection of the controlled descriptive information identifying the required Baseline
- Inspection of the applied Baseline and its constituent elements
- Comparison of the instantiated Test Environment with the required Baseline
- Inspection of the Baseline identity and version records
- Inspection of Traceability records connecting the Baseline, Test Environment, and Test Execution
- A negative assessment using a missing, incorrect, superseded, incomplete, or untraceable Baseline
- Confirmation that the negative assessment produces a nonconformance result

Referenced By

Plugin Backlinks: Nothing was found.

Related Architecture Sections

- Add links to the architecture sections governing Baseline identification, Baseline application, Test Environment state control, and Test Execution admission.

Delivery Phase

Assign the applicable delivery phase.

Requirement Status

Draft

Statement Reference

Use the following syntax to reference this requirement's Statement section from another DokuWiki page:

```
{{section>dido:03-dido-te:99-annexes:annex-c-requirements:02-test-
environment-requirements:env-003-establish-controlled-starting-
state:env-003a-apply-required-
baseline#Statement&noheader&nofooter&noeditbtn}}
```

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - Dido Solutions, Inc Wiki

Permanent link:
<https://wiki.didosolutions.com/dido/03-dido-te/99-annexes/annex-c-requirements/03-functional-requirements/03-01-test-environment-requirements/env-003-establish-controlled-starting-state/env-003a-apply-required-baseline?rev=1787081664>

Last update: 2026/08/18 12:34

