

ENV-003 — Establish Controlled Starting State

[Go to C.3.1 Test Environment Requirements](#)

ENV-003 is a non-leaf requirement group governing establishment of a controlled starting state for the applicable [Test Environment](#) before each [Test Execution](#).

Conformance is assessed against the individual leaf requirements listed below. ENV-003 does not establish a separate conformance obligation.

Contents

- [ENV-003a — Apply Required Baseline](#)
 - [ENV-003b — Apply Required Configuration Values](#)
 - [ENV-003c — Initialise Participating Nodes](#)
 - [ENV-003d — Initialise Test Objects](#)
 - [ENV-003e — Provision Required Test Resources](#)
 - [ENV-003f — Load Required Test Inputs](#)
 - [ENV-003g — Establish Required Communication Relationships](#)
 - [ENV-003h — Apply Applicable Constraints](#)
 - [ENV-003i — Remove or Isolate Residual State](#)
 - [ENV-003j — Validate Controlled Starting State](#)
 - [ENV-003k — Record Controlled Starting State](#)
 - [ENV-003l — Prevent Execution from Invalid Starting State](#)
-
- [ENV-003a — Apply Required Baseline](#)
 - [ENV-003b — Apply Required Configuration Values](#)
 - [ENV-003c — Initialise Participating Nodes](#)
 - [ENV-003d — Initialise Test Objects](#)
 - [ENV-003e — Provision Required Test Resources](#)
 - [ENV-003f — Load Required Test Inputs](#)
 - [ENV-003g — Establish Required Communication Relationships](#)
 - [ENV-003h — Apply Applicable Constraints](#)
 - [ENV-003i — Remove or Isolate Residual State](#)
 - [ENV-003j — Validate Controlled Starting State](#)
 - [ENV-003k — Record Controlled Starting State](#)
 - [ENV-003l — Prevent Execution from Invalid Starting State](#)

Source

- [\[DTE5\] DIDO-TE Requirements Register](#), source requirement identifier and obligation to be assigned
- [\[DTE6\] Structured Information Processing Reference Architecture \(SIP-RA\)](#)
- [\[DTE7\] Federated Data Interpretation Systems Reference Architecture \(FDIS-RA\)](#)

Rationale

A controlled starting state establishes the conditions under which a [Test Execution](#) begins.

Applying the required [Baseline](#), [Configuration](#) values, [Test Inputs](#), [Test Resources](#), and [Constraints](#) limits differences among repeated Test Executions to the variables governed by the applicable [Test Definition](#).

Removing or isolating residual state prevents a prior Test Execution from influencing a later [Test Result](#).

Validating and recording the controlled starting state supports [Reproducibility](#), [Comparability](#), and [Traceability](#).

The leaf requirements in this group define the individually verifiable obligations governing establishment, validation, and recording of the controlled starting state.

Applies To

- [Test Environment](#)
- [Test Definition](#)
- [Test Execution](#)
- [Test Object](#)
- [Node](#)
- [Test Resource](#)
- [Test Input](#)
- [Baseline](#)
- [Configuration](#)
- [Constraint](#)
- [Evidence](#)

Traceability

- [ENV-003a — Apply Required Baseline](#)
- [ENV-003b — Apply Required Configuration Values](#)
- [ENV-003c — Initialise Participating Nodes](#)
- [ENV-003d — Initialise Test Objects](#)
- [ENV-003e — Provision Required Test Resources](#)
- [ENV-003f — Load Required Test Inputs](#)
- [ENV-003g — Establish Required Communication Relationships](#)
- [ENV-003h — Apply Applicable Constraints](#)
- [ENV-003i — Remove or Isolate Residual State](#)
- [ENV-003j — Validate Controlled Starting State](#)
- [ENV-003k — Record Controlled Starting State](#)
- [ENV-003l — Prevent Execution from Invalid Starting State](#)

ConOps Relationship

Add links to the ConOps activities and architecture sections governing Test Environment initialisation, state control, residual-state isolation, validation, Evidence, and Test Execution admission.

Delivery Phase

Assign the applicable delivery phase.

Requirement Status

Draft

Notes for Editors

The normative obligations and corresponding verification criteria for ENV-003 are defined by the subordinate leaf requirements ENV-003a through ENV-003l.

The former ENV-003 Statement and Verification sections were removed because ENV-003 serves as a non-leaf requirement group and does not establish an independently verifiable conformance obligation.

The explicit child links remain while the subordinate requirement pages are being created and reviewed. After all subordinate pages are finalised, the explicit links may be removed because the `indexmenu` automatically discovers the leaf pages.

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - Dido Solutions, Inc Wiki

Permanent link:
<https://wiki.didosolutions.com/dido/03-dido-te/99-annexes/annex-c-requirements/03-functional-requirements/03-01-test-environment-requirements/env-003-establish-controlled-starting-state/start?rev=1787086620>

Last update: 2026/08/18 13:57

