

C.2.1 Test Environment Configuration

[Go to C.2 Functional Requirements](#)

Test Environment Configuration requirements specify the required definition, composition, configuration, and management of a DIDO Test Environment.

These requirements address the configuration information needed to establish a Test Environment and maintain traceability between its intended configuration and its realised configuration.

Contents

Contents

- [FR-001 — Define a Test Environment Configuration](#)
- [FR-002 — Identify a Test Environment Configuration](#)
- [FR-003 — Version a Test Environment Configuration](#)
- [FR-004 — Specify Test Environment Constituents](#)
- [FR-005 — Validate a Test Environment Configuration](#)
- [FR-006 — Preserve a Test Environment Configuration](#)
- [FR-007 — Instantiate a Test Environment from a Configuration](#)
- [FR-008 — Record the Realised Test Environment Configuration](#)
- [FR-009 — Identify Configuration Deviations](#)

Notes for Editors

This page is a non-leaf requirement-category page and retains a trailing `:start` in its namespace.

Place each canonical Test Environment Configuration requirement on a separate leaf page within this namespace. Leaf requirement pages omit a trailing `:start`.

Add explicit links to proposed child requirements before the `indexmenu` while the decomposition remains under development. Remove those links after the child pages have been created and finalised because the `indexmenu` discovers them automatically.

Do not reproduce individual requirement Statements on this page.

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - **Dido Solutions, Inc Wiki**

Permanent link:
<https://wiki.didosolutions.com/dido/03-dido-te/99-annexes/annex-c-requirements/03-functional-requirements/03-01-test-environment-requirements/start?rev=1787001921>

Last update: **2026/08/17 14:25**

