

TWIN-001b — Preserve Twin Identity Across Realizations

[Go to TWIN-001 — Establish Twin Identity](#)

Statement

The DIDO-TE SHALL associate every [Twin Realization](#) of the same [Twin Identity](#) with the same [Twin Identifier](#).

Source

- [\[DTE1\] U.S. Patent Application US20220237111A1](#), virtual and physical Twin Node concepts and identifiers shared among Twin Nodes
- [\[DTE2\] Non-Traditional BAA Submission](#), F17, *Twin Nodes Selection*

Rationale

A [Twin Identity](#) represents the logical twin independently of any particular [Twin Realization](#).

The source material permits more than one realization of the same twin, including virtual and physical or real-world realizations. Preserving the same [Twin Identifier](#) across those realizations allows a [Test Execution](#) to select or substitute a realization without changing the logical participant represented by the test.

This separation also supports comparison of results obtained from different Twin Realizations of the same Twin Identity.

Applies To

- [Twin Identity](#)
- [Twin Identifier](#)
- [Twin Realization](#)
- [Twin Node](#)
- [Test Definition](#)
- [Test Execution](#)

Verification

Verification confirms that:

```
# Two or more Twin Realizations associated with the same Twin Identity
reference the same Twin Identifier.
# Selection of a different Twin Realization for a Test Execution preserves
the Twin Identifier.
# Replacement or removal of a Twin Realization does not alter the Twin
Identifier assigned to the Twin Identity.
# A Twin Realization associated with a different Twin Identity does not
reference the Twin Identifier assigned to the first Twin Identity.
```

Verification includes inspection of a Twin Identity associated with at least two Twin Realizations and execution of a realization-selection or substitution test.

Traceability

Plugin Backlinks: Nothing was found.

ConOps Relationship

This requirement supports ConOps activities that select or substitute among alternative Twin Realizations while preserving the identity of the logical twin represented within the Test Execution.

Delivery Phase

TBD

Requirement Status

Draft

Statement Reference

```
{{section>dido:03-dido-te:99-annexes:annex-c-requirements:03-functional-
requirements:03-03-twin-node-requirements:001-establish-twin-
identity:001b-preserve-twin-identity-across-
realizations#Statement&noheader&nofooter&noeditbtn}}
```

From:
<https://wiki.didosolutions.com/> - Dido Solutions, Inc Wiki

Permanent link:
<https://wiki.didosolutions.com/dido/03-dido-te/99-annexes/annex-c-requirements/03-functional-requirements/03-03-twin-node-requirements/twin-001-establish-twin-identity/twin-001b-preserve-twin-identity-across-realizations?rev=1787249376>

Last update: 2026/08/20 11:09

