

P2-REQ-16-3-008

[Return to Requirements](#)

Statement

Logical Node Lifecycle State SHALL identify the logical operational condition associated with a [Logical Node](#).

Source

Part 2, Section 16.3: Logical Node Requirements.

Rationale

Logical Node Lifecycle State provides a platform-independent representation of a Logical Node's operational condition. Lifecycle states support monitoring, governance, operational coordination, review, and later implementation mapping without prescribing runtime mechanisms.

Applies To

This requirement applies to Logical Node Lifecycle State definitions throughout the Logical Architecture.

It applies specifically to:

- Logical Nodes;
- Lifecycle modelling;
- Health monitoring; and
- Domain Logical Profiles.

Verification

Verification SHALL confirm that Logical Node Lifecycle States identify the logical operational condition associated with Logical Nodes.

Verification activities should include review checks confirming that:

- lifecycle states are explicitly defined;
- lifecycle states apply to Logical Nodes;
- lifecycle states support logical operational modelling; and

- lifecycle definitions remain platform independent.

Traceability

This requirement supports traceability between Logical Nodes and their logical operational conditions.

Related requirement identifiers:

- [p2-req-16-3-001](#)
- [p2-req-16-3-002](#)
- [p2-req-16-6-003](#)

Related source section:

- [16.3 Logical Node Requirements](#)

Status

Draft

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - **Dido Solutions, Inc Wiki**

Permanent link:
https://wiki.didosolutions.com/dido/99_annexes/annex-d-requirements/part-02/p2-req-16-3-008?rev=1783799867

Last update: **2026/07/11 12:57**

