

5. Reading the Architecture as an Onion

[Go to Top](#)

The architecture uses an onion structure. At the centre are durable concepts. The next layer defines logical relationships. The next layer specializes those relationships for a financial domain or demonstration. The next layer maps the logical model to selected technologies. The outer layer defines physical deployment, testability, and evidence. Figure 5-1 represents these layers.




Figure 5-1: Layered structure of the Financial Systems Archetype document layers Each layer depends on the layer inside it. The outer layers may specialize, realize, deploy, or test inner-layer concepts. They must not redefine those concepts. Table 5-1: Examples of inner-layer concepts and later-layer realisations

Inner-layer concept	Later-layer realization
Communication Endpoint	DDS Topic, API endpoint, message queue, event stream
Data Structure Definition	IDL structure, JSON Schema, XML Schema, UML/SysML model
Node	Process, container, pod, service, virtual machine
Runtime Plane	Topic namespace, DDS partition, Kubernetes namespace, network segment, security zone
Evidence	Logs, captured samples, test reports, deployment records, and Crucible records

The later-layer realization does not replace the inner-layer concept.

From:
<https://wiki.didosolutions.com/> - **Dido Solutions, Inc Wiki**

Permanent link:
<https://wiki.didosolutions.com/fxdemo/00-part/06-reading-the-architecture-as-an-onion/start>

Last update: **2026/07/18 12:33**

