

10.4 Logical Element / PIM to Implementation Artefact / PSM

[Go to Top](#)

A Logical Element / [PIM](#) traces to an Implementation Artefact / [PSM](#) when an implementation profile maps the [Platform Independent Model \(PIM\)](#) to selected technologies.

For example, a logical [Communication Endpoint](#) may map to a DDS Topic in a DDS-based implementation profile. A logical [Data Structure Definition](#) may map to an IDL structure. A logical [Node](#) may map to a Python process packaged as an OCI-compatible container image.

This mapping realises the logical model for a selected implementation context. It does not redefine the logical element or the conceptual element behind it.

Examples include:

Table 10.4-1: Examples of logical elements traced to implementation artefacts

Logical Element / PIM	Implementation Artefact / PSM
Logical Node	Python process, service process, or containerised executable
Logical Communication Endpoint	DDS Topic, API endpoint, message queue, event stream, or file exchange point
Logical Data Structure Definition	IDL structure, JSON Schema, XML Schema, SysML block, or generated language type
Logical Runtime Plane	DDS topic namespace, DDS partition, topic family, or implementation grouping
Logical Evidence class	Test output, captured message, provenance record, audit record, or configured evidence package
Logical Traceability relationship	Trace matrix entry, metadata link, configuration reference, model relationship, or generated report

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - Dido Solutions, Inc Wiki

Permanent link:
<https://wiki.didosolutions.com/xdemo/01-part/10-conceptual-traceability-model/10-4-logical-element-pim-to-implementation-artefact-psm?rev=1783793452>

Last update: 2026/07/11 11:10

