

12.2 Conceptual Elements Become Logical Elements

[Go to Top](#)

The [Logical Architecture](#) / [PIM](#) refines conceptual elements into platform-independent logical elements.

For example, Part 1 defines [Node](#) as an architectural participant in a distributed [Financial System](#). Part 2 may define Logical Nodes and describe the responsibilities, interactions, and constraints.

Part 1 defines a [Communication Endpoint](#) as a point of information exchange used by one or more [Nodes](#). Part 2 may define logical endpoints, endpoint roles, endpoint relationships, and information-flow patterns without selecting a specific communication technology.

Part 1 defines [Data Structure Definition](#) as a description of the [Structure](#), [Semantics](#), and constraints of a class of information. Part 2 may define logical information structures, logical message classes, logical event classes, or logical record classes without binding them to IDL, JSON Schema, XML Schema, database schemas, or generated code.

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - Dido Solutions, Inc Wiki

Permanent link:
<https://wiki.didosolutions.com/fixdemo/01-part/12-relationship-to-the-logical-architecture-pim/12-2-conceptual-elements-become-logical-elements?rev=1785852489>

Last update: 2026/08/04 07:08

