

4.2 FX Domain Scope before Implementation

Go To FX Demo Logical Profile Principles

The FX Demo Logical Profile establishes the [Foreign Exchange Domain](#) scope before later parts select implementation mechanisms.

The profile identifies the FX-specific logical [Nodes](#), [Node Roles](#), endpoints, information structures, interaction patterns, lifecycle concerns, governance constraints, and [Traceability](#) relationships that Part 4 maps to implementation artefacts and Part 5 deploys, tests, observes, and provides [Evidence](#) for.

FX Domain scope does not depend on [DDS](#), [IDL](#), [QoS](#), [Python](#), [Protocol Buffers](#), [REST](#), [RPC](#), [Kubernetes](#), [K3s](#), [Docker](#), [RTI Connex](#) [DDS](#), [Crucible](#), scripts, or repository layout. Those concerns belong to later parts or supporting repository documentation.

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - **Dido Solutions, Inc Wiki**

Permanent link:
<https://wiki.didosolutions.com/fxdemo/03-part/04-fx-demo-logical-profile-principles/04-2-fx-domain-scope-before-implementation/start?rev=1783793226>

Last update: **2026/07/11 11:07**

