

5.5 FX Demo Logical Communication Model

[Go To FX Demo Logical Profile Overview](#)

The FX Demo Logical Communication Model defines how FX logical [Nodes](#) exchange information through FX logical [Communication Endpoints](#).

FX logical [Communication Endpoints](#) carry FX logical information structures such as [FX Transaction Candidate](#), [FX Validation Result](#), [FX Semantic Assertion](#), [FX Contract State](#) records, [FX Cash-Flow Obligations](#), [FX Policy Decisions](#), [FX Release Packages](#), [FX Audit Records](#), [FX Provenance Records](#), [FX Node Status](#) reports, [FX Control Commands](#), [FX Command Acknowledgements](#), [FX Replay Requests](#), and [FX Replay Results](#).

Each FX logical [Communication Endpoint](#) identifies participating FX logical [Nodes](#) or [Node Roles](#), [Communication Roles](#), information structures, [Runtime Plane](#) classification, governance constraints, and [Traceability](#) or [Evidence](#) expectations.

The FX Demo Logical Communication Model does not prescribe [DDS Topics](#), [REST](#) resources, [RPC](#) methods, [Protocol Buffers](#) services, message queues, event streams, files, database handoffs, or other implementation mechanisms. Part 4 selects implementation mappings.

© 2026 Dido Solutions, Inc. and Jackrabbit Consulting, Inc.

From:
<https://wiki.didosolutions.com/> - Dido Solutions, Inc Wiki

Permanent link:
<https://wiki.didosolutions.com/fxdemo/03-part/05-fx-demo-logical-profile-overview/05-5-fx-demo-logical-communication-model/start>

Last update: 2026/07/11 11:15

